


NOTE: SUBSEQUENT INSPECTIONS MAY BE SUBJECT TO AN ADDITIONAL INSPECTION CHARGE

REQUIREMENTS FOR MOBILE HOME INSPECTION

Inspections will be performed within 48 hours of request.

- The 911 address must be the approved green sign with white reflective numbers displayed in a vertical plane easily visible from the road when traveling in either direction.
- The Elevation Certificate of Completion (if required) must be on file in the Permit Office before scheduling inspection.
- Water Department approval of a single meter for a single residence must be on file in the Permit Office.
- Environmental/Health Unit approval must be on file in the Permit Office.
- Must have a Manufactured Housing Permit sticker, usually put on the mobile home by a licensed mover. If mover does not have the sticker, the homeowner will have to apply for this with the LA State Fire Marshal Office, 1.800.256.5452.
- Vacuum breakers must be installed on all exterior faucets/hose bibs.
- Must have potable water connected and pressured up.
- Water and sewer lines should not be in the same ditch to avoid cross contamination.
- No co-mingling of pipe without the appropriate connectors and all connections shall be glued.
- A sewer cleanout is to be on the outer side of the mobile home skirting and within 36" of the mobile home.
- Sewer line under mobile home is to be supported with a non-corrosive material every 4.5' to prevent a swag in the line.
- Electrical service pole installed, connected to mobile home and ready to receive meter.



Street address numbers shall be displayed on an approved sign made of fiberglass, resin or metal so as to be perpendicular to the road and shall have the address number displayed in a vertical plane easily visible from the road when traveling in either direction. The sign will be mounted on the metal post. The street address number display shall be placed near the intersection of the driveway and the roadway. The street address number display shall be at least two (2) but not more than five (5) feet above road grade on a vertical plane.

When moving a mobile home, you should hire a Louisiana licensed mover who will place a white sticker with black writing on your home to prove adherence to the installation codes. If your mover is not licensed in the state of Louisiana, you will have to apply with the Louisiana State Fire Marshal to obtain guidelines and sticker.



LOUISIANA STATE FIRE MARSHAL

1-800-256-5452

VACUUM BREAKER -
Must be installed on all exterior water faucets



Installed vacuum breaker